

Dual - Modular Plug Crimps, Strips & Cuts Tools



HT-568 : 7.3" (185 mm)

HT-568R : 7.3" (185 mm)

PATENTED

RATCHET TYPE PATENTED

- ◆ Deluxe type, frame is made of steel, light weight, compact & durable w/key way in 8P modular holder.

HT-568R are with ratchet mechanism.

Item No.	For Crimping Modular Plug	Ratchet
HT-568	8P8C/RJ-45, & 6P6C/RJ-12,	NO
HT-568R	6P4C/RJ-11	YES

3 Ways Modular Tool : Crimps, Stripe & Cuts



HT-210C : 7.5" (190 mm)

HT-2096 : 7.5" (190 mm)

ECONOMIC TYPE

- ◆ Steel frame, harden & black oxide finished, light weight & durable.
- ◆ Deluxe type, w/guide for operation.
- ◆ Deluxe type, w/guide for operation.

Item No.	For Crimping Modular Plug
HT-210C	8P8C/RJ-45 (Available for stripping round cable.)
HT-2094	4P4C & 4P2C
HT-2096	6P6C/RJ-12, 6P4C/RJ-11 & 6P2C

Professional Coaxial Crimping Tool



PTNC601



PTNC605

HT-106 Series : 9" (229 mm)

NON-RATCHET TYPE



PC106



PC515A



PC3603

- ◆ Die set is riveted on tool, and is unchangeable.

	Complete Tool	Ratchet Type	Hex Size	Description
	HT-106	NO	.255" .322" (6.48/8.20 mm)	RG 59, 62, 6
	HT-106D	NO	.255" .213" .068" (6.48/5.40/1.72 mm)	RG 58, 59, 62
	HT-106F	NO	.100" .322" .476" (2.54/8.20/12.10 mm)	RG 6, 11, 213
	HT-106H	NO	.322" .359" (8.20/9.12 mm)	F-59, 62, 6



บริษัท สหรุ่งโรจน์ (ประเทศไทย) จำกัด

โทร (02) 438-7783 (อัตโนมัติ) แฟกซ์ (02) 438-4166, 862-6740

Hanlong P1 080316REV.0

[Http://www.srt.co.th](http://www.srt.co.th) E-mail. srt@srt.co.th

Coaxial Cable Stripper

No Replacement Cassette Is Needed



HT-312B : 4.3" (108 mm)

PATENTE

Item No.	For Crimping Modular Plug	Stripping Distance
HT-312B	RG-59 / 62 / 6 / 4C / 5C	

Combination Tool



HT-3206 : 4.4" (110 mm)

FOR RG- 6 CABLE USE

- ◆ The combination tool one end for enlarging space between shield and insulation the other end to screw twist on f-connector to the cable.

Compression Crimping Tool



HT-510B : 7.7" (195 mm)

FOR RG59 and RG6 CABLES

Item No.	Description
HT-H510B	For F, BNC, RCA, right angled and keystone module compression connector. For RG59 and RG6 cables with adjustment for crimping different connector lengths.

PACKAGE

Item No.	Q'TY/CTN	N.W.	G.W.	MEAS
HT-H510B	30	14	15.7	1.3

Note: Unit packaging is based on a blister pack with a sliding card. Packing details are for reference only; they could be subject to internal amendment without further changed notice.

(N.W. & G.W. in kg, Meas. in Cuft)



บริษัท สหรุ่งโรจน์ (ประเทศไทย) จำกัด

โทร (02) 438-7783 (อัตโนมัติ) แฟกซ์ (02) 438-4166, 862-6740

[Http://www.srt.co.th](http://www.srt.co.th) E-mail. srt@srt.co.th

Hanlong P2 080316REV.0

Coaxial Cable Stripper



HT-L2180
7.2"(183mm)

Item No.	For crimping modular plug	Repl. Blade
HT-L2180	8P8C/RJ-45(Available for stripping UTP/STP round cable.)	HT-RB0609

PACKAGE

Item No.	Q'TY/CTN	N.W.	G.W.	MEAS
HT-L2180	60	14	16.6	1.7

HT-L2180 : 7.2" (183 mm)

FOR 8P8C/RJ-45 (Available for stripping UTP/STP round cable.)

Note: Unit packaging is based on a blister pack with a sliding card. Packing details are for reference only; they could be subject to internal amendment without further changed notice.

Cable Cutter



HT-C206D
6.3"(159mm)



HT-A201A
9.2"(235mm)

HT-C206D : 6.3" (159 mm)

HT-A201A : 9.2" (235 mm)

Item No.	Description
HT-206	For wire O.D up to 0.41" (ψ10.5mm)

Item No.	Description
HT-C206D	For cable RG58 / RG59 / RG6 and cable with steel component. Max. 16mm ² cable

Item No.	For copper cable	For aluminum cable
HT-A201A	16mm ² solid 35mm ² stranded 70mm ² flexible	70 mm ² stranded



HT-206
6.5"(167mm)

HT-206 : 6.5" (167 mm)

PACKAGE

Item No.	Q'TY/CTN	N.W.	G.W.	MEAS
HT-C206D	60	11.4	12.6	1.3
HT-A201A	30	16	16.9	0.9

Note: Unit packaging is based on a blister pack with a sliding card. Packing details are for reference only; they could be subject to internal amendment without further changed notice.
(N.W. & G.W. in kg, Meas. in Cuft)



บริษัท สหรุ่งโรจน์ (ประเทศไทย) จำกัด

โทร (02) 438-7783 (อัตโนมัติ) แฟกซ์ (02) 438-4166, 862-6740

[Http://www.srt.co.th](http://www.srt.co.th) E-mail. srt@srt.co.th


Hanlong P3 080316REV.0

Ratchet Crimping Tool



HT-336FM
8.7"(220mm)

- ◆ Die sets are interchangeable, except HT-301.
- ◆ OEM/Custom designs are welcome.

	Item No.	Die P/N	Specifications	Crimping cable size
	HT-336K3	3K3	.256".068"/.295" 6.50/1.73/7.49mm	RG59, 6

HT-336K3 : 8.7" (220 mm)

PACKAGE

Item No.	Q'TY/CTN	N.W.	G.W.	MEAS
HT-336K3	30	15	16.5	1.1

Note: Unit packaging is based on a blister pack with a sliding card. Packing details are for reference only; they could be subject to internal amendment without further changed notice.

(N.W. & G.W. in kg, Meas. in Cuft)

IDC CRIMPING TOOL



HT-214
9.5"(241mm)

Item No.	Description
HT-214	Crimps for IDC-type connectors on to ribbon cable. Height 6mm to 27.5mm. (max. 55mm width)

PACKAG

Item No.	Q'TY/CTN	N.W.	G.W.	MEAS
HT-214	30	15.5	17.1	1.3

HT-214 : 9.5" (241 mm)

Note: Unit packaging is based on a blister pack with a sliding card. Packing details are for reference only; they could be subject to internal amendment without further changed notice. (N.W. & G.W. in kg, Meas. in Cuft)

CABLE STRIPPER MULTI-FUNCTION TOOL (10 IN 1)



HT-203
8.5"(216mm)

HT-203 : 8.5" (216 mm)

Item No.	Description
HT-203	<ol style="list-style-type: none"> 1. Clamper 2. Strips 22-10 AWG wire 3. Loops for φ 3mm wire 4. Cuts Cu, A1 soft wire 5. Cuts bolt 4-40, 6-32, 8-32, 10-24, 10-32 (inchsize) 6. Cuts φ 3mm steel wire 7. Crimps ins, terminals 10-22 AWG 6-0.5 mm² 8. Crimps non-ins, terminals 10-22 AWG wire 9. Cuts solid wire 10. Crimps ignition terminals

PACKAGE

Item No.	Q'TY/CTN	N.W.	G.W.	MEAS
HT-203	60	14.5	16	1.5